



---

# Crystal Color

Artistic Paint

MINIMALIST DESIGN AESTHETICS OF MODERN ARCHITECTURE



Crystal Color

# Delicate And Crystal-Clear

## Product Features



Crystal Sparkling Effect



Scratch-Resistant And Anti-Powdering



High-Hardness, Highly Water- And Stain-Resistant



Simple To Clean And Care For



Low-Voc, Non-Toxic, And Safe For Indoor Environments.

## System Set

### 01.Primer

The primer is mainly composed of nano-modified acrylic emulsion, which penetrates into the capillaries of the wall to strengthen the substrate, resist alkali, seal the surface, and improve the adhesion of the topcoat. At the same time, it enhances the moisture-proof and mildew-resistant properties of the finish.

#### Consumption

0.15kg/m<sup>2</sup>/Apply twice

#### Packaging

20Kg/Barrel

#### Size

32.5\*32.5\*37.23cm

#### Setting time

Surface dry 2h, Hard dry 4h (25-27°C)

#### How to use

Ready to use



### 02.Topcoat

The topcoat is formulated with special resin materials as the main component, refined with high-quality additives. It provides a strong and weather-resistant protective layer that enhances surface smoothness and gloss, while offering multiple protections such as UV resistance, scratch resistance, anti-mold, and waterproofing, thereby improving both the durability and appearance of the coating.

#### Consumption

0.15kg/m<sup>2</sup>/Apply twice

#### Packaging

20Kg/Barrel

#### Size

32.5\*32.5\*37.23cm

#### Setting time

Surface dry 2h, Hard dry 4h (25-27°C)

#### How to use

Ready to use



## Construction Tools

### 01.Primer



Roller



Wool brush



Protective paper

### 02.Crystal Color



Putty knife




Scraper



Damp cloth

### 03.Topcoat



Roller



Wool brush



Tray

## Surface Preparation

Ensure the substrate is smooth, clean, dry, free from oil, grease, dust, and loose particles, with sufficient strength before application.

**For old wall renovation:** Remove loose or peeling layers, level the surface, and thoroughly clean dust, grease, and other impurities before application.



## Construction Guide



**Step 1** | Apply one coat of primer with a roller or brush



**Step 2** | Apply the first thin coat of Jinzuancai



**Step 3** | Apply the second thin coat of Jinzuancai



**Step 4** | Apply one coat of topcoat using a roller

## Colour



Flourishing Blossoms



Spring & Autumn Hues



Sunrise Reflection



Saibaoli Artistic Paint



Misty Rain


Crystal Color



Cocoa Gray



Dreamy Fairy



Dreamy Veil



Gleaming Sparkle




Azure sky



Ocean Horizon



Verdant Bloom



Pearl white



Exotic Charm



Fairy Lilac Glow





WeChat



Whatsapp

Contact  
Number: **+86 189 7000 7181**

**JIANGXI SAIBAOLIINDUSTRIAL CO., LTD.**

Address: Foreign investment Development District, No.5Gongye Rd, Nanchang, Jiangxi, P.R. China

Website: [www.saibaolituliao.com](http://www.saibaolituliao.com) | email: [saibaoli@outlook.com](mailto:saibaoli@outlook.com)

Alibaba: [jxsbl.en.alibaba.com](http://jxsbl.en.alibaba.com)