



Imitation Sandstone Texture

Artistic Paint

MINIMALIST DESIGN AESTHETICS OF MODERN ARCHITECTURE

Imitation Sandstone Texture

Artistic Paint

Applications

Suitable for interior walls, such as high-end banquet halls, luxury boutiques, upscale villas, hotels, etc.

Imitation Sandstone Texture is a textured artistic paint with rich colors. Natural quartz sand and metal oxides undergo a high-temperature process to form a uniform, soft, and elegant finish.

Each wall has its own unique beauty

Main Components



Sparkling sand



Calcium powder



Titanium dioxide



Eco-friendly resin



Additives

Technical Data

| | | | |
|---|---|---|--|
| <p style="color: #c08040; font-weight: bold;">Surface dry</p> <p style="font-size: small;"><2h (25-27°C)</p> | <p style="color: #c08040; font-weight: bold;">Touch dry</p> <p style="font-size: small;"><4h (25-27°C)</p> | <p style="color: #c08040; font-weight: bold;">Hard dry</p> <p style="font-size: small;">>24h (25-27°C)</p> | <p style="color: #c08040; font-weight: bold;">Coating layer</p> <p style="font-size: small;">2 times</p> |
| <p style="color: #c08040; font-weight: bold;">Service life</p> <p style="font-size: small;">>10 years</p> | <p style="color: #c08040; font-weight: bold;">Coating rate</p> <p style="font-size: small;">1.8-2Kg/m² *</p> | <p style="color: #c08040; font-weight: bold;">Storage conditions</p> <p style="font-size: small;"><30°C, cool, dry</p> | <p style="color: #c08040; font-weight: bold;">Color selection</p> <p style="font-size: small;">Multi-color selection</p> |
| <p style="color: #c08040; font-weight: bold;">Specification</p> <p style="font-size: small;">20Kg/Barrel</p> | <p style="color: #c08040; font-weight: bold;">Size</p> <p style="font-size: small;">32.5*32.5*37.23cm</p> | | |

*Actual coverage will depend on the absorbency of the surface and the method of application.

Product Features



Premium rock granules with natural colors



Seamless, highly water- and stain-resistant



Durable and flexible



Simple to clean and care for



Low-VOC, non-toxic, and safe for indoor environments

Imitation Sandstone Texture

System Set

01. Primer

It is an acrylic resin. Please mix according to the construction application technical data sheet. The shelf life of the product is 12 months. Products are stored in sealed containers at temperatures between 10 and 30 °C. Keep away from heat and direct sunlight.

Consumption

0.15kg/m²/Apply twice

Packaging

20Kg/Barrel

Size

32.5*32.5*37.23cm

Setting time

Surface dry 2h, Hard dry 4h (25-27°C)

How to use

Ready to use



02. Topcoat

The topcoat is formulated with special resin materials as the main component, refined with high-quality additives. It provides a strong and weather-resistant protective layer that enhances surface smoothness and gloss, while offering multiple protections such as UV resistance, scratch resistance, anti-mold, and waterproofing, thereby improving both the durability and appearance of the coating.

Consumption

0.15kg/m²/Apply twice

Packaging

20Kg/Barrel

Size

32.5*32.5*37.23cm

Setting time

Surface dry 2h, Hard dry 4h (25-27°C)

How to use

Ready to use



Construction Tools

01.Primer



Roller



Wool brush



Protective paper

02.Imitation Sandstone Texture



Putty knife



Scraper



Acrylic texturing board

03.Topcoat



Roller



Wool brush




Tray

Construction Guide




01

After protecting the surface, roll on one coat of penetrating primer.




02

Apply the first coat of Yajing stone with a trowel.



03

Apply the second coat of Yajing stone with a trowel.



04



After applying the second coat of Yajing stone, immediately roughen the surface. Wait until it's about 70% dry before refining the texture, leaving it smooth.





05

Apply topcoat using a roller.

Colour







WeChat



Whatsapp

Contact
Number: **+86 189 7000 7181**

JIANGXI SAIBAOLIINDUSTRIAL CO., LTD.

Address: Foreign investment Development District, No.5Gongye Rd, Nanchang, Jiangxi, P.R. China

Website: www.saibaolituliao.com | email: saibaoli@outlook.com

Alibaba: jxsbl.en.alibaba.com